

General Instructions :-

Question paper consists of 23 questions divided into Four sections, namely A, B, C and D

- Section - A : Q. No. 1 contains 5 multiple choice type of questions carrying two marks each.
Q. No. 2 contains 4 very short answer type of questions carrying One mark each.
- Section - B : Q. No. 3 to Q. No. 13 are 11 short answer type of questions carrying two marks each. Out of which any eight are to be attempted.
- Section - C : Q. No. 14 to Q. No. 19 contains 6 short answer type questions carrying 3 marks each. Out of which any four are to be attempted.
- Section - D : Q. No. 20 to Q. No. 23 are 4 long answer type of questions carrying 4 mark each. Out of which any two are to be attempted.
- Figures to the right indicate full mark.
- Start each section on new page.
- For each MCQ, correct answer must be written along with its alphabet.
e.g (a) / (b) / (c) / (d)
- Evaluation of each MCQ would be done for the first attempt only.

Section - A**Q.1. Select and write the correct answer.****10**

- If $\left(x + \frac{1}{3}, \frac{y}{3} - 1\right) = \left(\frac{1}{2}, \frac{3}{2}\right)$ then value of x and y are _____
 a) $\frac{1}{6}, \frac{15}{2}$ b) $-\frac{1}{6}, \frac{15}{2}$ c) $\frac{1}{6}, -\frac{15}{2}$ d) $-\frac{1}{6}, -\frac{15}{2}$
- If the common ratio of GP is $\frac{2}{3}$ and sum to infinity is 12. Then first term is _____
 a) 3 b) 4 c) 2 d) 1
- Which of the following pair of angle's is co-terminal ?
 a) $360^\circ, -30^\circ$ b) $860^\circ, 580^\circ$ c) $-180^\circ, 540^\circ$ d) $200^\circ, 150^\circ$
- Cartesian co-ordinates of points whose polar co-ordinate is $(1, 180^\circ)$ _____
 a) $(0, -1)$ b) $(0, 1)$ c) $(-1, 0)$ d) $(1, 0)$
- The value of $\cos 600^\circ =$ _____
 a) $-\frac{\sqrt{3}}{2}$ b) $\frac{\sqrt{3}}{2}$ c) $\frac{1}{2}$ d) $-\frac{1}{2}$

Q.2. Answer the following questions.**4**

- Express the following as sum or difference of two trigonometric functions.
 $2 \sin 4x \cos 2x$
- Describe the following set in Roster form
 $C = \{x/x = 2n + 1, n \in N\}$

- 3) Determine the quadrant for $\theta = 250^\circ$.
- 4) Find slope of the line whose inclination is $\frac{\pi}{4}$.

Section B**Attempt any Eight****16**

- Q.3. If $A = \{a, b, c\}$, $B = \{x, y\}$ find $A \times B$, $B \times A$.
- Q.4. The numbers $x - 6$, $2x$ and x^2 are in G.P. find x .
- Q.5. If $r = \frac{1}{3}$, $a = 9$ find t_r .
- Q.6. Write the relation in Roster form and state its domain.
 $R = \{(x, y) / x + y = 3, x, y \in \{0, 1, 2, 3\}\}$
- Q.7. Find AM of two positive numbers whose GM and HM are 4 and $\frac{16}{5}$ respectively.
- Q.8. A $(-5, 2)$ and B $(4, 1)$. Find the equation of locus of point P, which is equidistance from A and B.
- Q.9. Evaluate the following : $\sin 30^\circ + \cos 45^\circ + \tan 180^\circ$
- Q.10. Find the value of $\sin\left(\frac{19\pi}{3}\right)$
- Q.11. Find the polar co-ordinates of point whose cartesian co-ordinate is $(1, \sqrt{3})$
- Q.12. Find the value of $\sin\theta$ and $\tan\theta$ if $\cos\theta = -\frac{3}{5}$ and $180^\circ < \theta < 270^\circ$.
- Q.13. Find the degree and radian measure of exterior angle of regular Pentagon.

Section C**Attempt any four.****12**

- Q.14. The perimeter of a sector of the circle of area 25π sq.cm. is 20 cm. Find the area of sector.
- Q.15. Find the distance of the point A $(-2, 3)$ from the line $12x - 5y - 13 = 0$
- Q.16. Find the sum to n terms of the sequence 0.2, 0.02, 0.002,
- Q.17. Insert two numbers between 1 and -27 so that the resulting sequence is in a G.P.
- Q.18. Write the relation in Roster form. State its domain and range.
 $R = \{(a, b) / a \in N, a < 6 \text{ and } b = 4\}$
- Q.19. Solve the given inequality and write the solution set using interval notation
 $x^2 - x > 20$

Section D

8

Attempt any Two.

Q.20. Prove the following.

$$\frac{1}{\tan 3A - \tan A} - \frac{1}{\cot 3A - \cot A} = \cot 2A$$

Q.21. Find the equation of line

- a) Passing through the point P(2,1) and Q (2, -1)
b) Containing the point A (3,5) and having slope $\frac{2}{3}$.

Q.22. If A and B are subsets of the universal set X and $n(X) = 50$, $n(A) = 35$, $n(B) = 20$, $n(A' \cap B')$ find.

- i) $n(A \cup B)$
ii) $n(A \cap B)$
iii) $n(A' \cap B)$
iv) $n(A \cap B')$

Q.23. Find the sum $\sum_{r=1}^n \left(\frac{1+2+3+\dots+r}{r} \right)$
